


Roger Access Control System

ME-12 mounting bracket User Manual

Product version: 1.0

Document version: Rev. A



1. DESCRIPTION AND SPECIFICATION

ME-12 mounting bracket is dedicated to installation of MD70 graphic touch panel with adjustable inclination and in certain distance to the wall in order to offer ergonomic access of users to the device. The positioning of MD70 is particularly beneficial when photos are taken by MD70 as the inclination enables reliable photo capturing regardless of user height. ME-12 bracket is made of powder coated stainless metal sheet.

Parameter	Value
Inclination against wall	30°, 45° or 60°
Dimensions HxWxD	220 x 97 x 131.5 mm
Weight	0.88 kg

2. INSTALLATION

ME-12 bracket consists of front panel for MD70 attachment and base for wall mounting. Prior to installation the bracket must be disassembled. The inclination of front panel (30, 45 or 60°) is adjusted by selection of holes dedicated to front panel and base assembly (fig. 2).




Fig. 1 Arrangement of wall mounting holes




Fig. 2 Arrangement of front panel and base assembly holes




Fig. 3 Arrangement of MD70 mounting holes





Fig. 4 Arrangement of connection cable

3. ORDERING INFORMATION

Product	Description
ME-12	MD70 mounting bracket
MD70	Graphic touch panel with Mifare Classic/Desfire/ NFC reader

4. PRODUCT HISTORY

Product version	Released	Description
ME-12 v1.0	06/2017	The first commercial version of the product

	<p>This symbol placed on a product or packaging indicates that the product should not be disposed of with other wastes as this may have a negative impact on the environment and health. The user is obliged to deliver equipment to the designated collection points of electric and electronic waste. For detailed information on recycling, contact your local authorities, waste disposal company or point of purchase. Separate collection and recycling of this type of waste contributes to the protection of the natural resources and is safe to health and the environment. Weight of the equipment is specified in the document.</p>
---	---

Contact:
Roger sp. z o.o. sp.k.
82-400 Sztum
Gościszewo 59
Tel.: +48 55 272 0132
Fax: +48 55 272 0133
Tech. support: +48 55 267 0126
E-mail: support@roger.pl
Web: www.roger.pl