



Metal enclosure with four DIN mounting rails as well as power supply unit and voltage distributor. The housing is equipped with a tamper contact and provides space for installation of 17 Ah battery. The enclosure can accommodate 9 PR402DR-12VDC controllers, 18 PR102DR or 18 HRC102DR controllers. ML-1 key lock is available as an option.

Features:

- metal enclosure $665 \times 400 \times 135$ mm (height × width × depth)
- 13.8 VDC/10 A power supply unit
- four DIN 35 mm rails
- tamper contact
- weight 8 kg
- CE mark

Ordering guide	
Item	Description
ME-5-S	Metal enclosure; four DIN rails; 10 A/13.8 VDC monitored buffer power supply; power distribution module; space for optional 12 V/17 Ah battery; tamper; dim: 400 × 665 × 135 mm

Legal Notice

This document is not intended to be a technical specification of the product and has informative character only. The Manufactures of product reserves right to change its characteristic without notice. The product features listed in this document refer to the entire series and depends on particular product version, configuration and additional equipment.

RevA $\ \odot$ 2023 Roger sp. z o.o. sp. k. All rights reserved.

This document is a subject to the Terms of Use in their current version published at the www.roger.pl

Roger sp. z o.o. sp. k. Gościszewo 59 82-400 Sztum Poland **T.** +48 55 272 0132 **F.** +48 55 272 0133 **E.** roger@roger.pl

I. www.roger.pl

